



- 📄 Chap. 33 Control of Power (I Part) (75 Kb)
- 📄 Chap. 34 Control of Power (II Part) (51 Kb)
- 📄 Chap. 35 Introduction to the Theory of the Control (29 Kb)
- 📄 Chap. 36 Discreet and Retained signals (48 Kb)
- 📄 Chap. 37 Variables of State in a System (28 Kb)
- 📄 Chap. 38 Stability in Systems (100 Kb)
- 📄 Chap. 39 Feedback of the State in a System (48 Kb)
- 📄 Chap. 40 Estimate of the State in a System (53 Kb)
- 📄 Chap. 41 Controllers of the State in a System (69 Kb)
- 📄 Bibliography (43 Kb)

Author: Eugenio M. Tait  
Graduated in Philosophy  
Engineer in Electricity and Electronics  
E-mail: eugeniotait@hotmail.com  
Web: <http://www.geocities.com/tdcee>  
Web: <http://www.geocities.com/eugeniomtait>

## Index

---

### VOLUME I - CIRCUITS (I Part)

#### Index

#### Introduction

#### Chap. 01      Generalities

[Introduction](#)

[System of units](#)

[Algebraic and graphical simbology](#)

[Nomenclature](#)

[Advice for the designer](#)

#### Chap. 02      Polarization of components

[Bipolar transistor of junction \(TBJ\)](#)

Theory

Design

Fast design

[Unipolar transistor of junction \(JFET\)](#)

Theory

Design

[Operational Amplifier of Voltage \(AOV\)](#)

Theory

Design

#### Cap. 03      Dissipators of heat

[General characteristics](#)

[Continuous regime](#)

Design

#### Chap. 04      Inductors of small value

[Generalities](#)

[Q- meter](#)

[Design of inductors](#)

Oneloop  
Solenoidal onelayer  
Toroidal onelayer  
Solenoidal multilayer  
Design of inductors with nucleus of ferrite  
Shield to solenoidal multilayer inductors  
Design  
Shocks of radio frequency

-  
-  
**Chap. 05 Transformers of small value**

Generalities  
Design of transformers  
Solenoidal onelayer  
Solenoidal multilayer

**Chap. 06 Inductors and Transformadores of great value**

Equivalent circuit of a transformer  
Equivalent circuit of a inductor  
Measurement of the characteristics  
Transformer of alimentation  
Design  
Transformer of audiofrequency  
Transformer of pulses  
Design  
Inductors of filter with continuous component  
Diseño  
Inductors of filter without continuous component  
Design  
Autotransformer

**Chap. 07 Power supply without stabilizing**

Generalities  
Power supply of half wave with filter RC  
Design  
Abacous of Shade  
Power supply of complete wave with filter RLC  
Design  
Connection of diodes in series  
Design

**Chap. 08 Power supply stabilized**

Generalities  
Parallel source with diode Zener  
Design  
Parallel source with diode programmable Zener

[Parallel source with diode Zener and TBJ](#)

[Source series with diode Zener and TBJ](#)

[Source series with diode Zener, TBJ and preestabilizador](#)

[Source series for comparison](#)

[Source series with AOV](#)

**Design**

[Source with integrated circuit 723](#)

**Design**

[Source with integrated circuit 78XX](#)

[Source commuted series](#)

**Design**

## **Chap. 09 Amplification of Audiofrequency in low level class A**

[Previous theory of the TBJ](#)

[Previous theory of the JFET](#)

[General characteristics of operation](#)

[Bipolar transistor of juncture TBJ](#)

Common emitter

Base common

Common collector

[Transistor of effect of juncture field JFET](#)

Common source

Common gate

Common drain

[Design common emitter](#)

[Design common base](#)

[Design common collector](#)

[Design common drain](#)

[Adds with AOV](#)

**Design**

## **Chap. 10 Amplification of Audiofrequency on high level classes A and B**

[Generalities](#)

**Efficiency of a stage**

**Lineality of the amplification**

**Maximum dissipated power**

[Amplifier without coupled \(class A\)](#)

[Amplifier with inductive coupled \(class A\)](#)

**Design**

[Amplifier with coupled capacitive \(class B\)](#)

**Design**

[Differential variant](#)

[Amplifier with the integrated circuit 2002](#)

[Speakers and acoustic boxes](#)

**Design**

## Acoustic filters

### Design

## VOLUME II - CIRCUITS (II Part)

### **Chap. 11 Amplification of Radiofrequency in low level class A**

#### Generalities

#### Effect Miller

#### Model of the TBJ in RF

#### Factors of over-value and reactivity

#### Passages of meshes series to parallel

#### Filter impedance

#### Response of width and phase of a transfer

#### Amplifier of simple syntony

#### Design

#### Amplifier multi-stages of same simple syntony

#### Design

#### Amplifier multi-stages of simple syntonies, for maximum plain

#### Design

#### Amplifier multi-stages of simple syntonies, for same undulation

#### Amplifier of double syntony, for maximum plain

#### Design

### **Chap. 12 Amplification of Radiofrequency in low level class C**

#### Generalities

#### Design

#### Design variant

### **Chap. 13 Amplifiers of continuous**

#### Generalities

#### Amplifier with AOV in differential configuration

#### Design

#### Amplifier with sampling

#### Nano-ammeter

#### Design

### **Chap. 14 Harmonic oscillators**

#### Generalities

#### Type phase displacement

#### Design

#### Type bridge of Wien

#### Design

#### Type Colpitts

#### Design

#### Tipo Hartley

Variant with piezoelectric crystal

Type synchronized input-output

## **Chap. 15 Relaxation oscillators**

Generalities

Type TJJ

**Design**

Type multivibrator

Type harmonic-relaxation

Converters and Inverters

Generalities

Inverter of a TBJ and a transformer

Inverter of two TBJ and a transformer

**Design**

Inverter of two TBJ and two transformers

## **Chap. 16 Makers of waves**

GENERATORS OF SAWTOOTH

Generalities

Generators of voltage

Type of voltage for simple ramp

Type of voltage for effect bootstrap

**Design**

Type of voltage for effect Miller

**Design**

Current generators

Current type for simple ramp

Current type for parallel efficiency

DIGITAL SYNTHESIZER

**Design**

## **Chap. 17 The Transistor in the commutation**

The TBJ in continuous

The TBJ with pulses

Times of ignition and off

Product gain for wide of band

## **Chap. 18 Multivibrators**

GENERALITIES

SCHMIDT-TRIGGER

Generalities

With TBJ

**Design**

With AOV

**Design**

Con C-MOS

## BISTABLE

### Generalities

#### With TBJ

#### Design

#### With C-MOS

## MONOSTABLE

### Generalities

#### With TBJ

#### Design

#### With C-MOS

#### Design

#### With the CI 555

#### Design

## ASTABLE

### Generalities

#### With TBJ

#### Design

#### With AOV

#### Design

#### With C-MOS

#### Design

#### OCV and FCV with the CI 555

#### Modulator of frequency (OCV)

#### Modulator of the width of the pulse (PCV)

#### OCV with the 4046

#### Design

## **Cap. 19      Combinatorials and Sequentials**

### GENERALITIES

#### FLIP-FLOP

#### Generalities

#### Activated Flip-Flop for Level

#### Flip-Flop RS

#### Flip-Flop JK

#### Flip-Flop T

#### Flip-Flop D

#### Flip-Flop Master-Slave

#### Accessories of the Flip-Flop

### COUNTERS OF PULSES

#### Generalities

#### Example of Design

### DIVIDERS OF FREQUENCY

#### Generalities

#### Asynchronous

#### Synchronous

#### Example of Design

## MULTIPLIERS OF FREQUENCY

Generalities

Example of Design

## DIGITAL COMPARATORS

## REGISTER OF DISPLACEMENTS

## MULTIPLEXER AND DI-MULTIPLEXER

Design of Combinational Nets with Multiplexer

## **Chap. 20** **Passive networks as adapters of impedance**

Generalities

Parameters of impedance and parameters of propagation

Characteristic impedance and iterative impedance

Adaptation of impedances

Function of the propagation

Generalities

Symmetrical and disadapted network

Asymmetrical and adapted network

Adapting network of impedances, disphased and attenuator

Design attenuator

Design disphasator

Design attenuator and disphasator

## **Chap. 21** **Passive networks as filters of frequency (I Part)**

Generalities

Filter of product of constant reactances

Design low-pass

Design high-pass

Design band-pass

Design band-attenuate

Filter of product of constant reactances, derived "m" times

Design low-pass

Design high-pass

Design band-pass

Design band-attenuate

## **Chap. 22** **Passive networks as filters of frequency (II Part)**

Crossed filters

Generalites

Design double band-pass

Filters RC

Generalites

Design low-pass

Design high-pass

Design band-pass

Design band-attenuate

**Chap. 23 Active networks as filters of frequency and displaced of phase (I Part)**

GENERALITIES

FILTERS WITH NEGATIVE COMPONENTS

Design tone-pass

FILTERS WITH POSITIVE COMPONENTS

Slopes of first order (+20 [dB/DEC])

Generalities

Design low-pass

Design high-pass

Design band-pass

Design band-attenuate

Slopes of second order with limited plane response (+40 [dB/DEC])

Generalities

Design low-pass

Design high-pass

Design band-pass (and/or tone-pass)

Design band-attenuate (and/or tone-pass)

**Chap. 24 Active networks as filters of frequency and displaced of phase (II Part)**

Slopes of second order of high plain (+40 [dB/DEC])

Generalities

Design low-pass

Design high-pass

Design band-pass

Design band-attenuate

CIRCUITS OF DISPLACEMENT OF PHASES

Generalities

Design for phase displacements in backwardness (negative)

Design for phase displacements in advance (positive)

FILTERS WITH INVERTER COMPONENTS

Generalities

Filter of simple syntony with girator

**VOLUME III - COMMUNICATIONS**

**Chap. 25 Amplitude Modulation**

GENERALITIES

Spectral analysis of the signs

Theorem of the sampling

Mensuration of the information

Generalities

The information of a signal

## MODULATION

### Generalities

#### Amplitude Modulation (MA)

##### Generalities

##### Double lateral band and carrier (MAC)

##### Generalities

##### Generation with quadratic and lineal element

##### Generation with element of rectilinear segment

##### Generation for product

##### Generation for saturation of the characteristics of a TBJ

##### Design

#### Double lateral band without carrier (DBL)

##### Generalities

##### Generation for product

##### Generation for quadratic element

#### Unique lateral band (BLU)

##### Generalities

##### Generation for filtrate

##### Generation for phase displacement

##### Generation for code of pulses (PCM)

##### Generation OOK

##### Generation PAM

## **Chap. 26 Demodulación of Amplitude**

### Generalities

#### Double lateral band and carrier (MAC)

##### Generalities

##### Obtaining with quadratic element

##### Obtaining with element of segment rectilinear

##### Design

#### Double lateral band with suppressed carrier (DBL)

##### Generalities

##### Obtaining for the incorporation of asynchronous carrier

##### Obtaining for product

#### Unique lateral band (BLU)

##### Generalities

##### Obtaining for the incorporation of asynchronous carrier

##### Obtaining for lineal characteristic

##### Obtaining for quadratic characteristic

##### Obtaining for product

##### Obtaining for the incorporation of synchronous carrier

### Pulses

##### Generalities

##### Obtaining of coded pulses (PCM)

##### Obtaining of PAM

## **Chap. 27 Modulation of Angle**

### Generalities

### Frequency Modulation (MF)

#### Generalities

#### Generation Armstrong

#### Generation with OCV

#### Modulation in high frequency

#### Design

#### Modulation in low frequency

#### Design

### Phase Modulation (MP)

#### Generalities

#### Generation for derivation

#### Design

### Pulses

#### Generation FSK

#### Generation PSK

## **Chap. 28 Demodulation of Angle**

### Generalities

### Demodulation of Frequency (MF)

#### Generalities

#### Demodulation in high frequency

#### Demodulation for conversion to MAC

#### Obtaining for simple slope

#### Design

#### Obtaining for double slope (Travis)

#### Obtaining with discriminator of relationship

#### Design

#### Obtaining for tracking of phases

#### Design

#### Obtaining for conversion to MP

### Demodulation of Phase (MP)

#### Generalities

#### Obtaining

#### Design

## **Chap. 29 Heterodyne receivers**

### GENERALITIES

### STAGES OF THE RECEIVER

#### Stage heterodyne

#### Stage intermediate frequency amplifier

#### Stage of demodulation

#### Stage audioamplifier

#### Stage of automatic control

### REJECTIONS OF UNDESIRABLE FREQUENCIES

## WHITE NOISE

### Generalities

Figure of noise and their equivalent Temperature

### In components

In a diode

In a TBJ

### In transfers

In a filter low-pass

In a filter hig-pass derivator

### In demodulations

In demodulations of MAC

In demodulations of Mf

In demodulations of BLU

In demodulations of DBL

In demodulations of PCM

## **Chap. 30 Lines of Transmission**

### GENERALITIES

### STRUCTURES PHYSICS

### ADAPTATION OF IMPEDANCES

#### Generalities

Transformation of  $\lambda/4$

#### Design

Adapting stubs

#### Generalities

Design of an admittance

Design of adaptation with a known load

Design of adaptation with an unknown load

## **Chap. 31 Antennas and Propagation**

### GENERALITIES

### RADIATION

#### Generalities

Small conductor

### DIPOLE ANTENNA

Short dipole

Dipole of half wave

Dipoles of half wave folded

Dipole of half wave with earth plane

Dipole of half wave with elements parasites

Dipole of half wave of wide band

Dipole of half wave of short band

### SQUARE ANTENNA

Antenna with ferrite

### PARABOLIC ANTENNA

## VOLUME IV - CONTROL

### Chap. 32 Electric and Electromechanical installations

#### TARIFF

#### Generalities

#### Calculation

#### CONDUCTORS

#### Voltage in a conductor

#### Calculation

#### PROTECTION

#### Fusible

#### Termomagnetic

#### Insulation

#### Connection to ground

#### Lightning rod

#### ASYNCHRONOUS MOTORS

#### Generalities

#### Calculation

#### Protection

#### Connection

### Chap. 33 Control of Power (I Part)

#### GENERALITIES

#### CONTROL FOR REGULATION OF PHASE

#### Generalities

#### Manual control

#### Design

#### TYPES OF LOADS

#### Passive loads

#### Heating

#### Illumination

#### Inductive

#### Resonances

#### Active loads

#### Generalities

#### Motors of continuous

#### Universal motors

### Chap. 34 Control of Power (II Part)

#### CONTROL

#### Regulator of motor speed of continuous

#### Regulator of speed of motor asynchronous three-phasic

### Chap. 35 Introduction to the Theory of the Control

#### THE LAPLACE CONVOLUTION

#### DECOMPOSITION IN SIMPLE FRACTIONS

Denominator with simple poles  
Denominator with multiple poles  
AUTO-VALUES AND AUTO-VECTORS  
Generalities  
Determination of the auto-values  
Determination of the auto-vector  
ORDER AND TYPE OF A SYSTEM  
Order of a system with feedback Glc  
System type with feedback Glc

**Chap. 36 Discreet and Retained signals**  
RELATIONSHIP AMONG THE ONE DERIVED AND THE LATER SAMPLE  
GENERALITIES OF THE SAMPLING  
TRANSFER OF THE «SAMPLING AND R.O.C.» («M-ROC»)  
SYSTEMS WITH «M-ROC»  
1° CASE  
2° CASE  
3° CASE  
4° CASE  
5° CASE  
RESOLUTION OF TEMPORARY GRAPHS  
Application example  
EQUATIONS OF STATE

**Chap. 37 Variables of State in a System**  
GENERALITIES  
Lineal transformation of A  
DETERMINATION OF THE STATES  
CONTROLABILITY  
OBSERVABILITY  
VARIABLES OF STATE OF PHASE  
In continuous systems  
State equation  
Exit equation  
Example 1  
Example 2  
In discreet systems  
TRANSFER, RESOLVENT AND TRANSITION  
TRANSFER [ $\Phi(s)$ ]  
Example  
RESOLVENT [ $\Psi(s)$ ]  
TRANSITION [ $\phi(t)$ ]  
If the system is SI-SO  
If the system is MI-MO  
Example

Example

## **Chap. 38 Stability in Systems**

### **CONTINUOUS SYSTEMS**

#### **Concept of the spectrum domain**

In signals

In transfers

#### **Stability**

### **CRITERIAL OF THE CALCULATION OF STABILITY**

#### **Approach of stability of Routh**

#### **Approach of stability of Nyquist**

Example

Simplification for inertial simple systems

Gain and phase margins

Calculation of the over-peak

Systems MI-MO

Systems with delay

### **DISCREET SYSTEMS**

## **Chap. 39 Feedback of the State in a System**

### **SYSTEMS «SI-MO»**

#### **OPEN LOOP (Plant Gp)**

#### **CLOSED LOOP (Glc)**

Example of a plant Gp with feedback

Design starting from other poles in Glc

### **SYSTEMS «MI-MO»**

#### **OPEN LOOP (Plant Gp)**

#### **CLOSED LOOP (Glc)**

Design starting from other poles in Glc

## **Chap. 40 Estimate of the State in a System**

### **SYSTEMS «SI-SO» (continuous)**

#### **ESTIMATORS OF ORDER «n»**

Estimator Ge fo «d = 0»

Design estimator Ge of «order n» and «d = 0»

#### **ESTIMATORS OF ORDER «n-1»**

Design estimator Ge of «order n-1» and «d = 0»

### **SYSTEMS «MI-MO» (discreet)**

#### **EQUATIONS OF STATE**

Design

## **Chap. 41 Controllers of the State in a System**

### **CONTROLLERS TYPE «P.I.D.»**

#### **INTRODUCTION**

Optimization for Ziegler-Nichols

First form

Second form

COMPENSATORS TYPE «DEAD-BEAT» AND «DAHLIN»

Compensator «dead-beat»

Compensator «Dahlin»

CALCULATION OF A CONTROLLER COMPESATOR

DATA

PHYSICAL IMPLEMENTATION

GENERALITIES

CALCULATION

DIAGRAM OF FLOW

**Bibliography**

---